4	**Indicators of BHUs** i.MO Presence ii.Medicine Availability iii.Infrastructure functionality	The Chair directed DHO Tank to remove all deficiencies in all BHUs immediately and also deficiencies and submit compliance report to this office.	DHO Tank
5	**Indicators of All Schools**	The Chair directed DEO Male and DEO Female Tank to resolve all the Red indicators of said schools pointed out by EMAs, Tank immediately and submit compliance reports regarding their functionality/ availability to this office.	DEO Male DEO Female
6	Waste Collection Points	The Chair directed AD Local Government Tank to expedite the construction work of dumpsters/designated areas for disposal of waste in all VCs and submit report alongwith pictorial evidence for onward submission to quarter concenred. The Chair also directed AD LG&RDD to visit Dabbara and identify dumping site and area required for said purpose.	AD LG&RDD
7	**Indicators of Major Roads** **a.Indicators of Street Lights** **b.Removal of construction Material**	The Chair directed Rep: of TMA Tank to resolve mentioned indicators of concerned Major Roads highlighted as Red Indicators on DSD Dashboard with in three days and submit compliance reports with pictorial evidence.	TMO
8	District Nerve Centre	The Chair directed AC TSD Tank to install remaining Cameras in DNC immediately	AC TSD/Over All Incharge of DSD

Meeting ended with a vote of thanks.

Deputy Commissioner
District Tank.

E.No 6022 **/PMRU**

Copy to the:-

1. Commissioner DIKhan Division DIKhan.
2. Director PMRU, Khyber Pakhtunkhwa,Peshawar.
3. PS to Chief Secretary , Govt: of Khyber Pakhtunkhwa,Peshawar.
4. All Participants of the meeting.

Deputy Commissioner
District Tank

Scanned with CamScanner